



NOTES: UNLESS OTHERWISE SPECIFIED



1. REFER TO PROCUREMENT SPECIFICATION R66-0057 FOR ADDITIONAL CABLE REQUIREMENTS.
2. CABLE ASSEMBLY MUST BE TESTED FOR CONTINUITY (MAX RESISTANCE 2ohms)
3. ALL MATERIALS MUST BE UL RECOGNIZED.
4. ALL PARTS AND MATERIALS USED IN THIS ASSEMBLY MUST MEET REGULATORY HAZARDOUS SUBSTANCE REQUIREMENTS PER PSC SPEC R76-0112



REV	BRIEF DESCRIPTION OF CHANGE	DFTR	ECO	DATE	CHKD	ENGR
A	RELEASE TO PRODUCTION.	JOE	55045	6/2006		BES



3	1	5-2607-05	OVERMOLD, DB9, NO PWR, RECEPT.
2	1	2110-3386	PLUG, MODULAR, 10 POS
1	1	8-0727	SPEC, CABLE, RAW, MULTIPLE CONDUCTORS
ITEM	QTY	PART NUMBER	DESCRIPTION

<div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div>PSC INC.</div><div>959 TERRY STREET</div><div>EUGENE, OREGON 97402-9150</div></div>			
	NAME	DATE	THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY DATA OF PSC SCANNING INC. OR ITS SUBSIDIARIES AND IS NOT TO BE DISCLOSED IN WHOLE OR IN PART, FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SUBMITTED, EXCEPT AS AUTHORIZED IN WRITING BY PSC SCANNING INC. OR ITS SUBSIDIARIES
DFTR	S. MCCLAIN	2/24 06	
PROC			DIMENSIONING AND TOLERANCING PER ISO 2768-1 UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS
ENG	B. SCHMITT	1/31 06	<div><div></div><div>TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0.0-25 ± >300 ± >25-150 ± >150-300 ± ANGLES: ±</div></div>
MFG			
MODEL			
MGL9500		MGL2200	
MGL8500			
MGL2300			
ALL DIMENSIONS INCLUDE APPLIED FINISH			CBL ASY, RoHS, RS, 9D, S, E/P, SAFARI TEST PORT, 5'
SCALE	SIZE	DRAWING NUMBER	SHEET REV.
N/A	C	8-0730-49	OF A